

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (previously presented): A pressure sensitive adhesive composition which comprises the following components (A), (B) and (C):

(A) an oxyalkylene polymer containing 0.3 to 0.7 equivalent of a hydrolyzable silyl group in each molecule and having a number average molecular weight of 20,000 to 50,000 (hereinafter, "hydrolyzable silyl group-containing polymer");

(B) a tackifier resin;

(C) a curing catalyst;

wherein the compounding ratio of the tackifier resin (B) is 5 to 80 parts by weight per 100 parts by weight of the polymer (A).
2. (original): The pressure sensitive adhesive composition according to Claim 1 wherein the Mw/Mn (molecular weight distribution) of the hydrolyzable silyl group-containing polymer (A) is not wider than 1.6.
3. (canceled).
4. (previously presented): The pressure sensitive adhesive composition according to Claim 1

wherein the hydrolyzable silyl group in the hydrolyzable silyl group-containing polymer (A) is represented by the following general formula (I);



wherein, R^2 represents a substituted or unsubstituted monovalent organic group containing 1 to 20 carbon atoms, X represents a hydrolyzable group, and a represents 1, 2 or 3.

5. (canceled).

6. (previously presented): The pressure sensitive adhesive composition according to Claim 2

wherein the hydrolyzable silyl group in the hydrolyzable silyl group-containing polymer (A) is represented by the following general formula (I);



wherein, R^2 represents a substituted or unsubstituted monovalent organic group containing 1 to 20 carbon atoms, X represents a hydrolyzable group, and a represents 1, 2 or 3.

7-8. (canceled).